

FAB Sheet – Aspect Gen2 Zebra

FEATURES	ADVANTAGES	BENEFITS
Choice of wattages 37-132W	Wide range of options to suit application	Optimised lighting designs reducing costs
LED colour temperatures: 3000K, 4000K or 5700K	Range to suit various applications	Optimised lighting
Projected LED lifetime L90 after 100,000 hours	Reduces maintenance	Maintenance cost and time savings
High quality LM6 aluminium alloy body with polyester powder coat. Stainless steel fixings and inserts.	Strong product	High durability
	1000 hour salt spray resistant	Corrosion resistant – longer lasting luminaire
Smooth top surface with stainless steel fixing screws underneath and stainless	Reduced dirt/water accumulation	Longer lasting luminaire
steel inserts in pivot	Corrosion resistant	
Toughened ultra efficient safety glass as standard	Vandal resistant	Less repair works/costs
	Optimal LED efficiency	More efficient luminaire
Pull-down latches on lantern		Simpler and quicker maintenance
	Tool-less access	No tools required
	Universal mounting system covering a	No need for additional reducers/inserts
MountSet feature (patent granted)	wide array of column/bracket sizes	
		Reduced stock holding
PMMA lenses (polycarbonate optional)	High light transmission	Clear lighting
	Durable material	Longer life
		Energy savings
CLO (constant light output) available	Lumen output remains at 100% for 100,000 hrs	Reduced maintenance
		Cost savings
	Easy onsite adjustment	Reduced stock holding
PowerSet feature (NFC or manual) (integral lumen and power output selection device)	No re-programming required	Less disruption
	NFC option negates the need to open lantern	Quick and easy power adjustment
Lumi-LinQ wireless control system (optional)	Monitors energy/performance data	More control over running costs
	Monitors complete operational status information	Specific details of faults automatically reported to user
	Presence detection and scene setting features	Cost/energy savings
	Self-testing luminaires	Time/cost savings on maintenance
	Variable controls	Increased levels of energy savings
Optional dimming and lighting controls		
	Simple upgrades	Minimal future costs

FEATURES	ADVANTAGES	BENEFITS
IP66 and up to IK10 ratings	High impact resistance and ingress protection	Longer life Less repair works and costs
	No dust traps	Easier maintenance
Tamper-proof key option	Vandal resistant	Maintenance costs and time savings
UMSUG coded	Separate meter not needed - charging can be included in authorities' overall inventory and single bill	Reduced administration
Manufactured in Britain	Parts required are readily available	Quicker resourcing and assistance
Minimum 10 year warranty	Risk to the contractor and client is reduced	Peace of mind from the backing of an established manufacturer